

Offset Zip and Tray Sorting



Introducing The ZipSorter™ from Output Technology.

The new ZipSorter™ is designed for mail processing equipment to easily offset your mail pieces for zip and tray breaks making sorting quick and easy.


This revolutionary design positions in between your inkjet/tabber base and existing delivery/shingling conveyor. That's right! No need to replace your existing equipment, just move the ZipSorter™ into place and reposition your delivery conveyor.

No more "jumping" the conveyor to create Zip & Tray breaks.

Never before has offset sorting been more affordable and saved so much labor!

Simply provide a signal to the ZipSorter™ when zip and tray breaks occur. Built in, adjustable signal delay ensures an accurate sort break every time.

The ZipSorter™ is available in a Left to Right configuration for most inkjet systems and a Right to Left configuration for Swing Arm Inserters. For swing arm inserters, simply add a camera to your inserter to read the zip/tray marks on the envelope and send a signal to the ZipSorter™.



Specifications

Media: Postcards, Envelopes, Self-mailers, Flats

Utilities: 120vac—10A—60Hz, 90psi @1 cfm

Interface: Dry contact from host (rated for 5V-2A)

Conveyor Height: Adjustable, 30-38"

Weight: 83 pounds

Price: \$5,999.00

Dimensions: 27" L x 16.5" W x 30-38" H

* pricing does not include shipping or any charges associated with installation & training

Output Technology™
Productive Solutions By Design